

PASIANSI WILDLIFE TRAINING INSTITUTE
BASIC TECHNICIAN CERTIFICATE IN WILDLIFE MANAGEMENT AND LAW ENFORCEMENT COURSE NUMBER: 60/1
OVERALL SUMMARY OF PROVISIONAL RESULTS
NTA LEVEL: 4

Year of Study : 2024/2025

Date of Release of Results: 01/08/2024

Weight : CA 60%

Weight: SE 40%

| Module Credits: | | | 10 | | | 10 | | | 8 | | | 7 | | | 10 | | | 7 | | | 8 | | | GPA | # SUPP | GRADE |
|-----------------|--------------------|-----|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|------|--------|------------------|
| Module Code: | | | WLT 04101 | | | WLT 04102 | | | WLT 04106 | | | WLT 04108 | | | WLT 04110 | | | WLT 04111 | | | WLT 04115 | | | | | |
| Max. Marks | | | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | X/4 | 0/1< | 1ST/2ND/3RD/FAIL |
| SN | PWTI Reg. No | Sex | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/4 | 0/1< | 1ST/2ND/3RD/FAIL |
| 1 | PWTI/BTCWLE/60/001 | F | 31.0 | 21.2 | 52.2 | 30.0 | 34.8 | 64.8 | 37.3 | 20.0 | 57.3 | 32.6 | 25.6 | 58.2 | 40.8 | 21.1 | 61.9 | 32.1 | 43.0 | 45.4 | 41.9 | 21.2 | 63.1 | 1.88 | 1 | FAIL |
| 2 | PWTI/BTCWLE/60/002 | M | 50.0 | 45.2 | 65.2 | 30.0 | 32.4 | 62.4 | 45.9 | 25.8 | 71.7 | 30.1 | 7.2 | 37.3 | 39.1 | 44.4 | 53.5 | 39.3 | 40.4 | 49.7 | 39.7 | 20.0 | 59.7 | 1.95 | 4 | FAIL |
| 3 | PWTI/BTCWLE/60/003 | M | 41.5 | 20.0 | 61.5 | 46.5 | 46.0 | 62.5 | 45.4 | 20.0 | 65.4 | 33.2 | 30.4 | 63.6 | 42.4 | 25.6 | 68.0 | 33.8 | 44.6 | 48.4 | 34.9 | 43.8 | 48.7 | 2.05 | 3 | SUPP |
| 4 | PWTI/BTCWLE/60/004 | M | 35.5 | 24.0 | 59.5 | 40.6 | 23.4 | 64.0 | 39.7 | 24.4 | 64.1 | 30.1 | 24.0 | 54.1 | 34.5 | 25.1 | 59.6 | 30.0 | 40.4 | 40.4 | 43.5 | 20.0 | 63.5 | 1.88 | 1 | FAIL |
| 5 | PWTI/BTCWLE/60/005 | M | 43.5 | 26.5 | 70.0 | 39.3 | 20.0 | 59.3 | 41.6 | 26.7 | 68.3 | 37.2 | 25.4 | 62.6 | 40.5 | 20.0 | 60.5 | 34.0 | 4.0 | 38.0 | 38.9 | 20.8 | 59.7 | 2.07 | 1 | SUPP |
| 6 | PWTI/BTCWLE/60/006 | M | 38.5 | 23.2 | 61.7 | 54.3 | 46.8 | 71.1 | 46.4 | 28.4 | 74.8 | 32.9 | 31.2 | 64.1 | 43.3 | 23.4 | 66.7 | 34.7 | 20.0 | 54.7 | 34.9 | 20.0 | 54.9 | 2.47 | 1 | SUPP |
| 7 | PWTI/BTCWLE/60/007 | M | 43.5 | 46.4 | 59.9 | 46.4 | 27.2 | 73.6 | 42.9 | 20.6 | 63.5 | 36.9 | 28.8 | 65.7 | 37.2 | 26.1 | 63.3 | 33.7 | 42.6 | 46.3 | 35.1 | 20.0 | 55.1 | 2.17 | 2 | SUPP |
| 8 | PWTI/BTCWLE/60/008 | M | 39.0 | 27.2 | 66.2 | 30.0 | 32.0 | 62.0 | 44.1 | 26.8 | 70.9 | 41.3 | 25.6 | 66.9 | 42.8 | 24.4 | 67.2 | 36.6 | 46.8 | 53.4 | 40.1 | 20.0 | 60.1 | 2.58 | 1 | SUPP |
| 9 | PWTI/BTCWLE/60/009 | M | 49.0 | 30.0 | 79.0 | 50.7 | 20.0 | 70.7 | 43.2 | 42.4 | 55.3 | 30.8 | 31.6 | 62.4 | 41.2 | 23.1 | 64.3 | 35.2 | 20.6 | 55.8 | 39.5 | 20.0 | 59.5 | 2.33 | 1 | SUPP |
| 10 | PWTI/BTCWLE/60/010 | M | 49.5 | 23.4 | 72.9 | 53.0 | 44.2 | 64.2 | 50.5 | 21.1 | 71.6 | 39.6 | 27.2 | 66.8 | 45.4 | 29.7 | 75.1 | 36.6 | 20.8 | 57.4 | 36.5 | 20.0 | 56.5 | 2.58 | 1 | SUPP |
| 11 | PWTI/BTCWLE/60/011 | F | 37.0 | 20.8 | 57.8 | 49.5 | 22.4 | 71.9 | 39.6 | 28.8 | 68.4 | 31.8 | 22.4 | 54.2 | 41.1 | 29.8 | 70.9 | 34.8 | 46.8 | 51.6 | 43.3 | 46.2 | 59.5 | 2.47 | 2 | SUPP |
| 12 | PWTI/BTCWLE/60/012 | M | 40.5 | 20.7 | 61.2 | 50.5 | 24.8 | 75.3 | 44.4 | 25.9 | 70.3 | 36.5 | 31.0 | 67.5 | 44.5 | 27.4 | 71.9 | 39.5 | 29.0 | 68.5 | 42.1 | 22.4 | 64.5 | 2.70 | 0 | PASS |
| 13 | PWTI/BTCWLE/60/013 | M | 38.0 | 20.0 | 58.0 | 50.9 | 43.6 | 64.5 | 38.1 | 20.0 | 58.1 | 30.0 | 20.0 | 50.0 | 32.4 | 23.1 | 55.5 | 30.1 | 46.2 | 46.3 | 35.9 | 8.2 | 44.4 | 1.75 | 3 | FAIL |
| 14 | PWTI/BTCWLE/60/014 | F | 30.5 | 21.6 | 52.1 | 30.0 | 28.4 | 58.4 | 40.2 | 24.8 | 65.0 | 30.4 | 21.1 | 51.5 | 34.3 | 20.0 | 54.3 | 32.1 | 22.2 | 54.3 | 36.5 | 43.8 | 50.3 | 2.13 | 1 | SUPP |
| 15 | PWTI/BTCWLE/60/015 | M | 30.5 | 26.8 | 57.3 | 46.0 | 23.6 | 69.6 | 45.9 | 29.1 | 75.0 | 38.4 | 27.6 | 66.0 | 39.7 | 28.3 | 68.0 | 36.6 | 45.2 | 51.8 | 40.5 | 21.2 | 61.7 | 2.58 | 1 | SUPP |
| 16 | PWTI/BTCWLE/60/016 | F | 31.0 | 25.5 | 56.5 | 30.0 | 42.8 | 42.8 | 40.1 | 0.0 | 40.4 | 30.0 | 20.0 | 50.0 | 32.0 | 22.9 | 54.9 | 31.6 | 20.0 | 51.6 | 38.9 | 6.4 | 45.3 | 1.57 | 3 | FAIL |
| 17 | PWTI/BTCWLE/60/017 | M | 37.0 | 0.0 | 37.0 | 46.7 | 29.8 | 76.5 | 33.2 | 30.0 | 63.2 | 30.8 | 7.6 | 38.4 | 36.5 | 42.7 | 49.2 | 31.9 | 5.8 | 37.7 | 38.0 | 44.2 | 49.2 | 1.07 | 5 | FAIL |
| 18 | PWTI/BTCWLE/60/018 | M | 42.5 | 22.0 | 64.5 | 49.3 | 21.6 | 70.9 | 46.4 | 20.0 | 66.4 | 30.2 | 24.6 | 54.8 | 37.9 | 20.0 | 57.9 | 32.4 | 44.6 | 47.0 | 39.7 | 44.4 | 54.1 | 2.18 | 2 | SUPP |
| 19 | PWTI/BTCWLE/60/019 | M | 33.5 | 30.8 | 64.3 | 30.0 | 46.8 | 46.8 | 45.4 | 27.5 | 72.9 | 30.2 | 21.0 | 51.2 | 34.8 | 25.0 | 59.8 | 30.5 | 45.4 | 45.9 | 35.9 | 20.0 | 55.9 | 1.85 | 2 | FAIL |
| 20 | PWTI/BTCWLE/60/020 | F | 32.0 | 25.2 | 57.2 | 30.0 | 31.2 | 61.2 | 39.2 | 32.2 | 71.4 | 31.8 | 24.2 | 56.0 | 33.8 | 23.3 | 57.1 | 30.8 | 20.2 | 51.0 | 37.5 | 44.2 | 51.7 | 2.13 | 1 | SUPP |
| 21 | PWTI/BTCWLE/60/021 | F | 35.5 | 46.4 | 51.9 | 46.5 | 20.0 | 66.5 | 34.0 | 9.9 | 43.9 | 40.1 | 31.5 | 71.6 | 46.1 | 27.0 | 73.1 | 39.7 | 20.0 | 59.7 | 31.9 | 29.8 | 61.7 | 2.32 | 2 | SUPP |
| 22 | PWTI/BTCWLE/60/022 | M | 34.5 | 44.6 | 46.4 | 50.3 | 20.0 | 70.3 | 44.9 | 45.2 | 60.1 | 34.6 | 30.4 | 65.0 | 41.0 | 32.1 | 73.1 | 37.4 | 20.4 | 57.8 | 43.1 | 20.0 | 63.1 | 2.28 | 2 | SUPP |
| 23 | PWTI/BTCWLE/60/023 | M | 44.5 | 20.0 | 64.5 | 30.0 | 27.4 | 57.4 | 41.5 | 26.4 | 67.9 | 30.8 | 14.5 | 45.3 | 30.4 | 45.2 | 45.6 | 31.3 | 4.0 | 35.3 | 38.2 | 40.6 | 48.8 | 1.48 | 4 | FAIL |
| 24 | PWTI/BTCWLE/60/024 | M | 35.0 | 29.8 | 64.8 | 51.2 | 24.4 | 75.6 | 33.6 | 22.6 | 56.2 | 30.8 | 20.0 | 50.8 | 39.9 | 20.0 | 59.9 | 31.5 | 8.2 | 39.7 | 43.7 | 44.2 | 57.9 | 1.93 | 2 | FAIL |
| 25 | PWTI/BTCWLE/60/025 | F | 30.0 | 25.4 | 55.4 | 30.0 | 30.6 | 60.6 | 30.6 | 26.8 | 57.4 | 30.9 | 21.9 | 52.8 | 40.8 | 24.4 | 65.2 | 32.0 | 20.0 | 52.0 | 37.7 | 23.6 | 61.3 | 2.17 | 0 | PASS |
| 26 | PWTI/BTCWLE/60/026 | M | 41.0 | 25.8 | 66.8 | 47.5 | 25.8 | 73.3 | 42.2 | 22.6 | 64.8 | 31.2 | 29.2 | 60.4 | 31.5 | 29.5 | 61.0 | 37.9 | 44.0 | 51.9 | 39.9 | 25.0 | 64.9 | 2.33 | 1 | SUPP |
| 27 | PWTI/BTCWLE/60/027 | M | 42.5 | 24.2 | 66.7 | 51.5 | 25.4 | 76.9 | 46.5 | 27.8 | 74.3 | 42.6 | 34.4 | 77.0 | 45.8 | 29.1 | 74.9 | 45.5 | 28.8 | 74.3 | 44.5 | 22.8 | 67.3 | 3.00 | 0 | SECOND CLASS |
| 28 | PWTI/BTCWLE/60/028 | M | 39.5 | 22.8 | 62.3 | 30.0 | 20.0 | 50.0 | 43.7 | 26.4 | 70.1 | 30.4 | 26.6 | 57.0 | 40.6 | 8.5 | 49.4 | 33.7 | 20.0 | 53.7 | 36.9 | 42.2 | 49.4 | 1.83 | 2 | FAIL |
| 29 | PWTI/BTCWLE/60/029 | F | 34.0 | 23.6 | 57.6 | 30.0 | 0.0 | 30.0 | 30.9 | 0.0 | 30.9 | 30.8 | 45.6 | 46.4 | 34.5 | 45.6 | 50.1 | 30.0 | 42.7 | 42.7 | 30.4 | 20.0 | 50.4 | 1.17 | 5 | FAIL |
| 30 | PWTI/BTCWLE/60/030 | M | 43.0 | 25.8 | 68.8 | 30.0 | 44.8 | 44.8 | 44.6 | 28.8 | 73.4 | 30.0 | 23.7 | 53.7 | 32.7 | 23.4 | 56.1 | 30.3 | 20.0 | 50.3 | 39.3 | 20.0 | 59.3 | 2.13 | 1 | SUPP |
| 31 | PWTI/BTCWLE/60/031 | F | 36.5 | 46.8 | 53.3 | 30.0 | 40.4 | 40.4 | 36.3 | 22.1 | 58.4 | 32.2 | 21.7 | 53.9 | 37.6 | 20.0 | 57.6 | 31.8 | 40.0 | 41.8 | 34.7 | 20.0 | 54.7 | 1.72 | 3 | FAIL |
| 32 | PWTI/BTCWLE/60/032 | M | 43.0 | 24.2 | 67.2 | 50.7 | 22.8 | 73.5 | 50.0 | 20.0 | 70.0 | 36.8 | 31.0 | 67.8 | 45.7 | 30.4 | 76.1 | 38.8 | 20.2 | 59.0 | 39.7 | 22.8 | 62.5 | 2.75 | 0 | PASS |

| Module Credits: | | | 10 | | | 10 | | | 8 | | | 7 | | | 10 | | | 7 | | | 8 | | | GPA | # SUPP | GRADE |
|-----------------|--------------------|-----|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|------|--------|------------------|
| Module Code: | | | WLT 04101 | | | WLT 04102 | | | WLT 04106 | | | WLT 04108 | | | WLT 04110 | | | WLT 04111 | | | WLT 04115 | | | | | |
| Max. Marks | | | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | X/4 | O/1< | 1ST/2ND/3RD/FAIL |
| SN | PWTI Reg. No | Sex | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/4 | O/1< | 1ST/2ND/3RD/FAIL |
| 33 | PWTI/BTCWLE/60/033 | M | 41.0 | 0.0 | 41.0 | 51.8 | 0.0 | 51.8 | 44.1 | 24.9 | 69.0 | 30.4 | 26.0 | 56.4 | 41.4 | 25.7 | 67.1 | 41.7 | 21.2 | 62.9 | 33.7 | 28.6 | 62.3 | 2.13 | 2 | SUPP |
| 34 | PWTI/BTCWLE/60/034 | M | 39.5 | 20.0 | 59.5 | 52.0 | 20.0 | 72.0 | 43.7 | 22.2 | 65.9 | 39.1 | 32.0 | 71.1 | 44.8 | 31.2 | 76.0 | 33.5 | 20.0 | 53.5 | 37.1 | 23.2 | 60.3 | 2.58 | 0 | PASS |
| 35 | PWTI/BTCWLE/60/035 | F | 40.0 | 22.0 | 62.0 | 51.9 | 20.0 | 71.9 | 39.3 | 44.6 | 50.9 | 40.1 | 23.7 | 63.8 | 42.4 | 27.3 | 69.7 | 36.7 | 20.0 | 56.7 | 35.5 | 22.8 | 58.3 | 2.33 | 1 | SUPP |
| 36 | PWTI/BTCWLE/60/036 | M | 38.0 | 31.3 | 69.3 | 30.0 | 24.0 | 54.0 | 42.9 | 24.5 | 67.4 | 30.8 | 20.2 | 51.0 | 31.5 | 20.1 | 51.6 | 30.0 | 44.4 | 41.4 | 35.5 | 20.2 | 55.7 | 2.18 | 1 | SUPP |
| 37 | PWTI/BTCWLE/60/037 | F | 30.5 | 22.9 | 53.4 | 30.0 | 46.4 | 46.4 | 30.6 | 20.0 | 50.6 | 30.9 | 22.6 | 53.5 | 35.3 | 22.9 | 58.2 | 32.3 | 7.9 | 40.2 | 39.7 | 42.6 | 52.3 | 1.72 | 3 | FAIL |
| 38 | PWTI/BTCWLE/60/038 | M | 37.0 | 29.4 | 66.4 | 53.7 | 26.8 | 80.5 | 38.9 | 28.8 | 67.7 | 32.1 | 30.8 | 62.9 | 41.6 | 26.8 | 68.4 | 38.5 | 20.0 | 58.5 | 43.7 | 27.2 | 70.9 | 2.93 | 0 | PASS |
| 39 | PWTI/BTCWLE/60/039 | M | 37.5 | 42.8 | 50.3 | 49.2 | 23.6 | 72.8 | 40.9 | 26.0 | 66.9 | 30.1 | 25.0 | 55.1 | 32.1 | 20.0 | 52.1 | 30.4 | 44.2 | 41.6 | 35.3 | 43.2 | 48.5 | 2.05 | 3 | SUPP |
| 40 | PWTI/BTCWLE/60/040 | M | 40.5 | 25.9 | 66.4 | 36.9 | 32.0 | 68.9 | 40.9 | 26.4 | 67.3 | 43.4 | 27.7 | 71.1 | 32.6 | 27.6 | 60.2 | 34.0 | 21.6 | 55.6 | 43.3 | 25.0 | 68.3 | 2.72 | 0 | PASS |
| 41 | PWTI/BTCWLE/60/041 | M | 46.0 | 9.7 | 55.7 | 47.2 | 20.0 | 67.2 | 42.9 | 7.2 | 50.1 | 39.8 | 27.7 | 67.5 | 31.8 | 26.5 | 58.3 | 30.9 | 20.0 | 50.9 | 38.7 | 45.8 | 54.5 | 2.28 | 3 | SUPP |
| 42 | PWTI/BTCWLE/60/042 | M | 45.0 | 5.4 | 50.4 | 30.0 | 40.6 | 40.6 | 44.9 | 8.7 | 53.6 | 31.7 | 21.7 | 53.4 | 39.0 | 23.0 | 62.0 | 35.2 | 44.3 | 46.5 | 33.1 | 20.0 | 53.1 | 1.72 | 4 | FAIL |
| 43 | PWTI/BTCWLE/60/043 | M | 30.0 | 23.4 | 53.4 | 51.6 | 32.0 | 83.6 | 41.9 | 27.4 | 69.3 | 30.3 | 21.7 | 52.0 | 30.5 | 24.1 | 54.6 | 30.4 | 44.4 | 41.8 | 37.7 | 44.8 | 52.5 | 2.35 | 2 | SUPP |
| 44 | PWTI/BTCWLE/60/044 | M | 43.5 | 21.0 | 64.5 | 49.5 | 22.4 | 71.9 | 48.0 | 23.2 | 71.2 | 33.2 | 26.6 | 59.8 | 37.9 | 28.9 | 66.8 | 31.7 | 21.0 | 52.7 | 42.5 | 23.6 | 66.1 | 2.60 | 0 | PASS |
| 45 | PWTI/BTCWLE/60/045 | M | 40.0 | 24.4 | 64.4 | 54.5 | 25.2 | 79.7 | 46.5 | 25.2 | 71.7 | 43.4 | 30.6 | 74.0 | 40.9 | 29.3 | 70.2 | 38.1 | 25.2 | 63.3 | 39.7 | 20.6 | 60.3 | 2.58 | 0 | PASS |
| 46 | PWTI/BTCWLE/60/046 | M | 31.5 | 26.6 | 58.1 | 30.0 | 30.0 | 60.0 | 39.4 | 46.4 | 55.8 | 31.8 | 21.2 | 53.0 | 32.3 | 8.7 | 41.0 | 30.4 | 7.0 | 37.4 | 44.2 | 42.2 | 56.4 | 1.60 | 4 | FAIL |
| 47 | PWTI/BTCWLE/60/047 | M | 34.5 | 24.7 | 59.2 | 46.6 | 42.8 | 59.4 | 48.5 | 27.6 | 76.1 | 30.4 | 27.3 | 57.7 | 39.0 | 23.7 | 62.7 | 34.8 | 20.0 | 54.8 | 45.1 | 25.4 | 70.5 | 2.27 | 1 | SUPP |
| 48 | PWTI/BTCWLE/60/048 | M | 35.0 | 29.9 | 64.9 | 30.0 | 28.4 | 58.4 | 48.9 | 34.7 | 83.6 | 39.8 | 30.6 | 70.4 | 46.3 | 28.2 | 74.5 | 38.6 | 21.8 | 60.4 | 45.3 | 23.6 | 68.9 | 2.68 | 0 | PASS |
| 49 | PWTI/BTCWLE/60/049 | M | 42.0 | 23.6 | 65.6 | 50.8 | 23.6 | 74.4 | 46.4 | 28.0 | 74.4 | 41.4 | 30.8 | 72.2 | 39.2 | 28.7 | 67.9 | 41.3 | 44.2 | 55.5 | 39.3 | 27.0 | 66.3 | 2.88 | 1 | SUPP |
| 50 | PWTI/BTCWLE/60/050 | M | 33.5 | 8.9 | 42.4 | 32.1 | 20.0 | 52.1 | 47.4 | 44.5 | 61.9 | 33.8 | 30.2 | 64.0 | 35.2 | 25.5 | 60.7 | 30.4 | 44.0 | 44.4 | 40.0 | 45.6 | 55.6 | 1.72 | 4 | FAIL |
| 51 | PWTI/BTCWLE/60/051 | M | 36.0 | 21.2 | 57.2 | 37.5 | 44.0 | 51.5 | 37.4 | 31.5 | 68.9 | 35.8 | 26.7 | 62.5 | 36.5 | 27.8 | 64.3 | 31.8 | 46.2 | 48.0 | 32.1 | 20.0 | 52.1 | 2.02 | 2 | SUPP |
| 52 | PWTI/BTCWLE/60/052 | F | 33.0 | 32.2 | 65.2 | 30.0 | 32.8 | 62.8 | 36.7 | 29.2 | 65.9 | 30.6 | 27.4 | 58.0 | 31.0 | 25.9 | 56.9 | 31.5 | 20.0 | 51.5 | 45.2 | 20.0 | 65.2 | 2.43 | 0 | PASS |
| 53 | PWTI/BTCWLE/60/053 | M | 30.0 | 20.0 | 50.0 | 55.2 | 20.0 | 75.2 | 47.4 | 23.7 | 71.1 | 33.9 | 25.5 | 59.4 | 43.9 | 23.0 | 66.9 | 35.7 | 42.0 | 47.7 | 39.7 | 26.4 | 66.1 | 2.48 | 1 | SUPP |
| 54 | PWTI/BTCWLE/60/054 | M | 43.0 | 29.8 | 72.8 | 52.0 | 30.4 | 82.4 | 44.2 | 27.8 | 72.0 | 40.8 | 29.4 | 70.2 | 43.5 | 28.4 | 71.9 | 38.9 | 25.2 | 64.1 | 46.7 | 20.4 | 67.1 | 3.05 | 0 | SECOND CLASS |
| 55 | PWTI/BTCWLE/60/055 | M | 41.5 | 24.2 | 65.7 | 42.8 | 23.6 | 66.4 | 42.0 | 23.8 | 65.8 | 31.4 | 22.7 | 54.1 | 34.5 | 20.0 | 54.5 | 32.0 | 44.8 | 43.8 | 39.7 | 20.0 | 59.7 | 2.35 | 1 | SUPP |
| 56 | PWTI/BTCWLE/60/056 | F | 38.0 | 29.6 | 67.6 | 51.2 | 28.4 | 79.6 | 35.4 | 28.1 | 63.5 | 33.8 | 27.3 | 61.1 | 41.3 | 22.2 | 63.5 | 30.7 | 45.8 | 46.5 | 39.6 | 20.0 | 59.6 | 2.22 | 1 | SUPP |
| 57 | PWTI/BTCWLE/60/057 | M | 36.0 | 26.0 | 62.0 | 30.0 | 30.6 | 60.6 | 39.5 | 26.1 | 65.6 | 30.6 | 27.0 | 57.6 | 43.5 | 21.7 | 65.2 | 32.9 | 20.0 | 52.9 | 39.7 | 20.0 | 59.7 | 2.30 | 0 | PASS |
| 58 | PWTI/BTCWLE/60/058 | M | 38.0 | 26.0 | 64.0 | 56.1 | 20.0 | 76.1 | 47.4 | 33.0 | 80.4 | 35.3 | 29.4 | 64.7 | 49.8 | 35.7 | 85.5 | 30.4 | 22.4 | 52.8 | 43.1 | 24.8 | 67.9 | 2.90 | 0 | PASS |
| 59 | PWTI/BTCWLE/60/059 | M | 41.5 | 27.8 | 69.3 | 30.0 | 20.0 | 50.0 | 43.7 | 26.5 | 70.2 | 33.2 | 29.0 | 62.2 | 45.9 | 23.6 | 69.5 | 36.7 | 9.9 | 46.6 | 36.1 | 20.0 | 56.1 | 2.35 | 1 | SUPP |
| 60 | PWTI/BTCWLE/60/060 | M | 44.5 | 28.0 | 72.5 | 51.0 | 20.0 | 71.0 | 48.4 | 29.4 | 77.8 | 53.0 | 34.6 | 87.6 | 52.4 | 32.2 | 84.6 | 42.6 | 32.6 | 75.2 | 44.5 | 29.8 | 74.3 | 3.28 | 0 | SECOND CLASS |
| 61 | PWTI/BTCWLE/60/061 | F | 30.0 | 30.4 | 60.4 | 30.0 | 33.6 | 63.6 | 35.4 | 30.0 | 65.4 | 30.3 | 43.4 | 43.7 | 31.8 | 43.6 | 45.4 | 31.6 | 44.2 | 42.8 | 39.7 | 9.2 | 48.9 | 1.60 | 4 | FAIL |
| 62 | PWTI/BTCWLE/60/062 | M | 47.5 | 44.7 | 62.2 | 51.9 | 23.2 | 75.1 | 49.4 | 20.6 | 70.0 | 42.8 | 28.2 | 71.0 | 47.7 | 27.8 | 75.5 | 45.6 | 23.2 | 68.8 | 40.1 | 25.4 | 65.5 | 2.83 | 1 | SUPP |
| 63 | PWTI/BTCWLE/60/063 | F | 32.5 | 25.0 | 57.5 | 30.0 | 23.0 | 53.0 | 40.6 | 26.2 | 66.8 | 30.7 | 26.9 | 57.6 | 30.9 | 24.3 | 55.2 | 32.2 | 20.6 | 52.8 | 38.1 | 22.4 | 60.5 | 2.13 | 0 | PASS |
| 64 | PWTI/BTCWLE/60/064 | M | 34.0 | 30.4 | 64.4 | 30.0 | 32.2 | 62.2 | 41.1 | 27.2 | 68.3 | 30.2 | 20.8 | 51.0 | 30.0 | 20.0 | 50.0 | 30.9 | 6.4 | 37.0 | 36.7 | 46.6 | 53.3 | 1.90 | 2 | FAIL |
| 65 | PWTI/BTCWLE/60/065 | M | 37.5 | 26.3 | 63.8 | 30.0 | 24.4 | 54.4 | 49.4 | 22.6 | 72.0 | 39.9 | 28.2 | 68.1 | 41.1 | 27.2 | 68.3 | 34.0 | 45.8 | 49.8 | 38.3 | 20.0 | 58.3 | 2.30 | 1 | SUPP |
| 66 | PWTI/BTCWLE/60/066 | M | 40.0 | 27.4 | 67.4 | 30.0 | 25.6 | 55.6 | 40.9 | 20.0 | 60.9 | 30.2 | 24.2 | 54.4 | 46.0 | 22.0 | 68.0 | 34.2 | 24.0 | 58.2 | 40.7 | 20.0 | 60.7 | 2.33 | 0 | PASS |
| 67 | PWTI/BTCWLE/60/067 | M | 43.0 | 20.0 | 63.0 | 55.0 | 46.4 | 71.4 | 47.9 | 45.2 | 63.1 | 40.0 | 34.6 | 74.6 | 52.4 | 32.6 | 85.0 | 43.2 | 31.4 | 74.6 | 42.1 | 24.6 | 66.7 | 2.87 | 2 | SUPP |
| 68 | PWTI/BTCWLE/60/068 | M | 43.5 | 27.6 | 71.1 | 51.0 | 21.2 | 72.2 | 48.4 | 24.7 | 73.1 | 34.2 | 30.1 | 64.3 | 41.4 | 25.2 | 66.6 | 30.6 | 28.2 | 58.8 | 40.1 | 20.2 | 60.3 | 2.63 | 0 | PASS |
| 69 | PWTI/BTCWLE/60/069 | M | 39.5 | 27.0 | 66.5 | 40.9 | 23.2 | 64.1 | 42.8 | 22.9 | 65.7 | 34.4 | 20.0 | 54.4 | 39.8 | 20.4 | 60.2 | 30.1 | 40.6 | 40.7 | 41.5 | 8.6 | 50.1 | 2.18 | 2 | SUPP |
| 70 | PWTI/BTCWLE/60/070 | M | 44.5 | 20.5 | 65.0 | 51.1 | 20.0 | 71.1 | 49.9 | 20.0 | 69.9 | 41.9 | 30.1 | 72.0 | 42.9 | 25.9 | 68.8 | 37.4 | 20.0 | 57.4 | 35.9 | 27.2 | 63.1 | 2.75 | 0 | PASS |

| Module Credits: | | | 10 | | | 10 | | | 8 | | | 7 | | | 10 | | | 7 | | | 8 | | | GPA | # SUPP | GRADE |
|-----------------|--------------------|-----|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|------|--------|------------------|
| Module Code: | | | WLT 04101 | | | WLT 04102 | | | WLT 04106 | | | WLT 04108 | | | WLT 04110 | | | WLT 04111 | | | WLT 04115 | | | | | |
| Max. Marks | | | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | X/4 | O/1< | 1ST/2ND/3RD/FAIL |
| SN | PWTI Reg. No | Sex | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/4 | O/1< | 1ST/2ND/3RD/FAIL |
| 71 | PWTI/BTCWLE/60/071 | F | 30.0 | 20.0 | 50.0 | 30.0 | 20.0 | 50.0 | 30.6 | 14.2 | 44.8 | 30.4 | 20.0 | 50.4 | 30.4 | 20.0 | 50.4 | 31.2 | 9.0 | 40.2 | 40.0 | 15.4 | 55.4 | 1.75 | 3 | FAIL |
| 72 | PWTI/BTCWLE/60/072 | M | 36.0 | 20.4 | 56.4 | 30.0 | 20.4 | 50.4 | 46.7 | 26.4 | 73.1 | 31.3 | 25.7 | 57.0 | 40.1 | 24.4 | 64.5 | 36.1 | 21.4 | 57.5 | 37.9 | 24.4 | 62.3 | 2.13 | 0 | PASS |
| 73 | PWTI/BTCWLE/60/073 | M | 52.5 | 31.0 | 83.5 | 32.9 | 20.0 | 52.9 | 47.2 | 25.6 | 72.8 | 42.0 | 33.6 | 75.6 | 49.6 | 32.9 | 82.5 | 46.6 | 16.8 | 63.4 | 44.7 | 26.6 | 71.3 | 3.05 | 1 | SUPP |
| 74 | PWTI/BTCWLE/60/074 | M | 40.0 | 27.0 | 67.0 | 46.1 | 27.2 | 73.3 | 35.9 | 24.4 | 60.3 | 30.2 | 22.0 | 52.2 | 35.0 | 20.0 | 55.0 | 30.0 | 6.7 | 36.7 | 38.9 | 14.8 | 53.7 | 2.10 | 2 | SUPP |
| 75 | PWTI/BTCWLE/60/075 | M | 46.5 | 27.1 | 73.6 | 48.0 | 24.8 | 72.8 | 40.6 | 24.6 | 65.2 | 42.0 | 27.7 | 69.7 | 41.2 | 27.7 | 68.9 | 35.1 | 14.2 | 49.3 | 36.5 | 26.2 | 62.7 | 2.63 | 1 | SUPP |
| 76 | PWTI/BTCWLE/60/076 | M | 35.0 | 32.2 | 67.2 | 30.0 | 32.0 | 62.0 | 36.7 | 21.2 | 57.9 | 30.0 | 22.6 | 52.6 | 33.7 | 23.1 | 56.8 | 30.3 | 3.2 | 33.5 | 36.7 | 14.8 | 51.5 | 1.93 | 2 | FAIL |
| 77 | PWTI/BTCWLE/60/077 | F | 30.0 | 24.0 | 54.0 | 30.0 | 24.8 | 54.8 | 31.8 | 24.6 | 56.4 | 31.0 | 24.6 | 55.6 | 32.3 | 24.0 | 56.3 | 31.3 | 16.6 | 47.9 | 34.9 | 20.0 | 54.9 | 1.88 | 1 | FAIL |
| 78 | PWTI/BTCWLE/60/078 | M | 39.0 | 11.2 | 50.2 | 30.0 | 14.8 | 44.8 | 40.0 | 20.0 | 60.0 | 33.7 | 20.0 | 53.7 | 45.7 | 16.5 | 62.2 | 30.1 | 14.4 | 44.5 | 40.5 | 13.8 | 54.3 | 1.72 | 5 | FAIL |
| 79 | PWTI/BTCWLE/60/079 | M | 37.0 | 25.8 | 62.8 | 30.0 | 27.2 | 57.2 | 41.4 | 30.6 | 72.0 | 37.4 | 25.8 | 63.2 | 36.9 | 26.8 | 63.7 | 36.5 | 20.4 | 56.9 | 43.0 | 20.0 | 63.0 | 2.13 | 0 | PASS |
| 80 | PWTI/BTCWLE/60/080 | M | 43.5 | 28.4 | 71.9 | 33.8 | 28.4 | 62.2 | 43.1 | 29.8 | 72.9 | 45.0 | 28.8 | 73.8 | 42.1 | 34.1 | 76.2 | 34.5 | 20.0 | 54.5 | 38.1 | 23.8 | 61.9 | 2.58 | 0 | PASS |
| 81 | PWTI/BTCWLE/60/081 | M | 47.0 | 30.6 | 77.6 | 52.2 | 26.2 | 78.4 | 45.9 | 27.6 | 73.5 | 39.7 | 32.6 | 72.3 | 43.2 | 25.7 | 68.9 | 41.9 | 20.0 | 61.9 | 44.5 | 25.2 | 69.7 | 2.88 | 0 | PASS |
| 82 | PWTI/BTCWLE/60/082 | M | 45.5 | 28.7 | 74.2 | 56.9 | 21.6 | 78.5 | 42.1 | 20.0 | 62.1 | 37.8 | 26.6 | 64.4 | 33.5 | 28.4 | 61.9 | 33.8 | 16.0 | 49.8 | 36.7 | 24.4 | 61.1 | 2.22 | 1 | SUPP |
| 83 | PWTI/BTCWLE/60/083 | M | 41.0 | 21.6 | 62.6 | 55.8 | 12.4 | 68.2 | 43.4 | 24.4 | 67.8 | 31.4 | 28.8 | 60.2 | 37.5 | 21.7 | 59.2 | 33.9 | 15.6 | 49.5 | 41.9 | 16.4 | 58.3 | 2.18 | 3 | SUPP |
| 84 | PWTI/BTCWLE/60/084 | M | 44.0 | 22.6 | 66.6 | 33.2 | 26.0 | 59.2 | 46.9 | 23.1 | 70.0 | 32.6 | 32.2 | 64.8 | 38.7 | 28.3 | 67.0 | 43.6 | 28.4 | 72.0 | 47.8 | 20.0 | 67.8 | 2.72 | 0 | PASS |
| 85 | PWTI/BTCWLE/60/085 | M | 42.5 | 16.6 | 59.1 | 46.3 | 15.2 | 61.5 | 42.6 | 21.8 | 64.4 | 30.8 | 23.9 | 54.7 | 33.1 | 12.2 | 45.3 | 31.0 | 14.8 | 45.8 | 44.3 | 15.4 | 59.7 | 1.72 | 5 | FAIL |
| 86 | PWTI/BTCWLE/60/086 | F | 34.5 | 28.0 | 62.5 | 31.4 | 20.0 | 51.4 | 34.7 | 20.2 | 54.9 | 33.8 | 26.2 | 60.0 | 37.0 | 21.2 | 58.2 | 30.0 | 12.2 | 42.2 | 45.3 | 20.0 | 65.3 | 2.02 | 1 | SUPP |
| 87 | PWTI/BTCWLE/60/087 | M | 39.0 | 28.4 | 67.4 | 55.2 | 22.0 | 77.2 | 35.6 | 27.0 | 62.6 | 37.7 | 32.0 | 69.7 | 43.5 | 26.6 | 70.1 | 36.8 | 20.0 | 56.8 | 44.1 | 30.0 | 74.1 | 2.75 | 0 | PASS |
| 88 | PWTI/BTCWLE/60/088 | F | 34.0 | 20.0 | 54.0 | 51.6 | 14.4 | 66.0 | 32.7 | 9.8 | 42.5 | 36.2 | 29.6 | 65.8 | 42.3 | 28.3 | 70.6 | 32.6 | 25.0 | 57.6 | 44.3 | 20.6 | 64.9 | 2.32 | 2 | SUPP |
| 89 | PWTI/BTCWLE/60/089 | F | 45.0 | 25.2 | 70.2 | 58.2 | 24.8 | 83.0 | 39.6 | 27.0 | 66.6 | 48.3 | 33.4 | 81.7 | 50.3 | 34.6 | 84.9 | 41.5 | 29.8 | 71.3 | 45.3 | 33.4 | 78.7 | 3.45 | 0 | SECOND CLASS |
| 90 | PWTI/BTCWLE/60/090 | M | 41.0 | 25.2 | 66.2 | 44.0 | 26.4 | 70.4 | 38.9 | 23.6 | 62.5 | 30.4 | 24.0 | 54.4 | 34.2 | 24.8 | 59.0 | 30.1 | 11.4 | 41.5 | 30.7 | 20.6 | 51.3 | 2.22 | 1 | SUPP |
| 91 | PWTI/BTCWLE/60/091 | M | 39.0 | 20.0 | 59.0 | 31.3 | 23.8 | 55.1 | 40.9 | 24.6 | 65.5 | 30.2 | 29.4 | 59.6 | 30.1 | 23.9 | 54.0 | 30.0 | 20.0 | 50.0 | 38.3 | 20.0 | 58.3 | 2.02 | 0 | PASS |
| 92 | PWTI/BTCWLE/60/092 | F | 36.0 | 20.0 | 56.0 | 30.0 | 20.0 | 50.0 | 43.2 | 24.1 | 67.3 | 30.2 | 23.2 | 53.4 | 36.0 | 20.8 | 56.8 | 30.0 | 15.8 | 45.8 | 39.5 | 15.6 | 55.1 | 2.02 | 2 | SUPP |
| 93 | PWTI/BTCWLE/60/093 | M | 36.5 | 20.0 | 56.5 | 30.0 | 24.0 | 54.0 | 36.7 | 26.2 | 62.9 | 37.2 | 22.5 | 59.7 | 45.3 | 22.3 | 67.6 | 32.3 | 9.6 | 41.9 | 39.7 | 20.8 | 60.5 | 2.05 | 1 | SUPP |
| 94 | PWTI/BTCWLE/60/094 | M | 30.0 | 14.0 | 44.0 | 30.0 | 20.0 | 50.0 | 30.6 | 28.6 | 59.2 | 30.8 | 15.7 | 46.5 | 33.4 | 15.2 | 48.6 | 30.9 | 9.0 | 39.9 | 31.1 | 12.8 | 43.9 | 1.18 | 5 | FAIL |
| 95 | PWTI/BTCWLE/60/095 | M | 35.5 | 25.9 | 61.4 | 30.0 | 35.0 | 65.0 | 45.4 | 27.6 | 73.0 | 36.3 | 30.6 | 66.9 | 37.4 | 26.1 | 63.5 | 40.7 | 16.4 | 57.1 | 43.0 | 24.6 | 67.6 | 2.55 | 1 | SUPP |
| 96 | PWTI/BTCWLE/60/096 | F | 30.5 | 28.8 | 59.3 | 30.0 | 21.2 | 51.2 | 35.3 | 27.4 | 62.7 | 30.4 | 22.8 | 53.2 | 30.9 | 15.8 | 46.7 | 34.5 | 20.0 | 54.5 | 34.9 | 14.4 | 49.3 | 1.70 | 2 | FAIL |
| 97 | PWTI/BTCWLE/60/097 | F | 36.0 | 27.0 | 63.0 | 49.2 | 23.2 | 72.4 | 36.8 | 12.4 | 49.2 | 30.8 | 12.8 | 43.6 | 30.3 | 11.5 | 41.8 | 30.5 | 9.0 | 39.5 | 38.1 | 12.8 | 50.9 | 1.52 | 5 | FAIL |
| 98 | PWTI/BTCWLE/60/098 | M | 49.0 | 16.4 | 65.4 | 30.0 | 8.8 | 38.8 | 37.1 | 14.7 | 51.8 | 30.8 | 20.4 | 51.2 | 43.1 | 23.2 | 66.3 | 33.4 | 12.2 | 45.6 | 40.7 | 5.8 | 46.5 | 1.75 | 5 | FAIL |
| 99 | PWTI/BTCWLE/60/099 | M | 38.0 | 20.0 | 58.0 | 51.6 | 25.0 | 76.6 | 39.2 | 30.4 | 69.6 | 34.9 | 21.8 | 56.7 | 40.6 | 21.8 | 62.4 | 31.1 | 14.6 | 45.7 | 44.4 | 11.6 | 56.0 | 2.18 | 2 | SUPP |
| 100 | PWTI/BTCWLE/60/100 | M | 49.5 | 7.8 | 57.3 | 30.0 | 8.8 | 38.8 | 42.9 | 16.6 | 59.5 | 31.0 | 22.7 | 53.7 | 38.8 | 20.6 | 59.4 | 30.8 | 15.2 | 46.0 | 39.1 | 21.4 | 60.5 | 1.55 | 4 | FAIL |
| 101 | PWTI/BTCWLE/60/101 | M | 44.5 | 32.0 | 76.5 | 51.5 | 27.6 | 79.1 | 48.4 | 30.2 | 78.6 | 41.2 | 25.8 | 67.0 | 44.3 | 29.3 | 73.6 | 43.8 | 27.2 | 71.0 | 41.9 | 30.4 | 72.3 | 3.00 | 0 | SECOND CLASS |
| 102 | PWTI/BTCWLE/60/102 | M | 39.5 | 11.2 | 50.7 | 30.0 | 13.2 | 43.2 | 33.2 | 20.0 | 53.2 | 31.1 | 14.8 | 45.9 | 30.2 | 20.0 | 50.2 | 38.0 | 7.0 | 45.0 | 38.4 | 14.6 | 53.0 | 1.60 | 5 | FAIL |
| 103 | PWTI/BTCWLE/60/103 | M | 38.5 | 7.2 | 45.7 | 49.2 | 14.0 | 63.2 | 41.4 | 10.0 | 51.4 | 37.9 | 21.2 | 59.1 | 31.7 | 28.9 | 60.6 | 30.2 | 15.6 | 45.8 | 34.3 | 20.0 | 54.3 | 1.72 | 4 | FAIL |
| 104 | PWTI/BTCWLE/60/104 | M | 42.5 | 33.0 | 75.5 | 51.9 | 24.8 | 76.7 | 49.5 | 33.2 | 82.7 | 35.6 | 31.0 | 66.6 | 38.9 | 21.4 | 60.3 | 35.4 | 20.6 | 56.0 | 42.9 | 24.2 | 67.1 | 2.85 | 0 | PASS |
| 105 | PWTI/BTCWLE/60/105 | M | 41.5 | 20.0 | 61.5 | 48.0 | 27.6 | 75.6 | 30.9 | 21.0 | 51.9 | 38.2 | 24.1 | 62.3 | 40.7 | 23.8 | 64.5 | 34.1 | 16.4 | 50.5 | 33.9 | 20.0 | 53.9 | 2.17 | 1 | SUPP |
| 106 | PWTI/BTCWLE/60/106 | M | 43.5 | 20.0 | 63.5 | 30.0 | 14.4 | 44.4 | 42.4 | 20.9 | 63.3 | 33.0 | 26.8 | 59.8 | 40.2 | 23.8 | 64.0 | 36.9 | 20.0 | 56.9 | 43.7 | 20.0 | 63.7 | 1.83 | 1 | FAIL |
| 107 | PWTI/BTCWLE/60/107 | M | 41.0 | 26.0 | 67.0 | 54.9 | 26.0 | 80.9 | 43.7 | 32.8 | 76.5 | 38.4 | 25.6 | 64.0 | 38.0 | 21.2 | 59.2 | 31.2 | 20.0 | 51.2 | 38.9 | 20.0 | 58.9 | 2.63 | 0 | PASS |
| 108 | PWTI/BTCWLE/60/108 | F | 43.0 | 20.0 | 63.0 | 30.5 | 15.6 | 46.1 | 31.5 | 25.2 | 56.7 | 35.0 | 25.6 | 60.6 | 33.0 | 12.7 | 45.7 | 36.2 | 12.2 | 48.4 | 37.5 | 6.0 | 43.5 | 1.42 | 4 | FAIL |

| Module Credits: | | | 10 | | | 10 | | | 8 | | | 7 | | | 10 | | | 7 | | | 8 | | | GPA | # SUPP | GRADE |
|-----------------|--------------------|-----|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|------|--------|------------------|
| Module Code: | | | WLT 04101 | | | WLT 04102 | | | WLT 04106 | | | WLT 04108 | | | WLT 04110 | | | WLT 04111 | | | WLT 04115 | | | | | |
| Max. Marks | | | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | X/4 | O/1< | 1ST/2ND/3RD/FAIL |
| SN | PWTI Reg. No | Sex | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/4 | O/1< | 1ST/2ND/3RD/FAIL |
| 109 | PWTI/BTCWLE/60/109 | M | 38.0 | 20.2 | 58.2 | 42.7 | 14.4 | 57.1 | 40.4 | 22.6 | 63.0 | 30.3 | 22.9 | 53.2 | 34.1 | 21.0 | 55.1 | 30.9 | 16.0 | 46.9 | 36.1 | 15.8 | 51.9 | 1.88 | 3 | FAIL |
| 110 | PWTI/BTCWLE/60/110 | M | 42.0 | 29.8 | 71.8 | 50.7 | 35.6 | 86.3 | 45.4 | 32.0 | 77.4 | 42.9 | 23.6 | 66.5 | 47.7 | 24.0 | 71.7 | 36.5 | 20.0 | 56.5 | 33.3 | 21.6 | 54.9 | 2.92 | 0 | PASS |
| 111 | PWTI/BTCWLE/60/111 | M | 40.0 | 25.4 | 65.4 | 53.5 | 31.6 | 85.1 | 43.8 | 31.6 | 75.4 | 34.0 | 32.6 | 66.6 | 37.9 | 28.3 | 66.2 | 39.6 | 22.2 | 61.8 | 42.5 | 24.8 | 67.3 | 3.05 | 0 | SECOND CLASS |
| 112 | PWTI/BTCWLE/60/112 | M | 33.0 | 25.4 | 58.4 | 53.4 | 14.4 | 67.8 | 50.0 | 16.6 | 66.6 | 36.7 | 30.9 | 67.6 | 41.7 | 27.3 | 69.0 | 41.2 | 26.2 | 67.4 | 43.7 | 24.2 | 67.9 | 2.83 | 2 | SUPP |
| 113 | PWTI/BTCWLE/60/113 | F | 40.0 | 28.4 | 68.4 | 46.1 | 30.2 | 76.3 | 30.6 | 30.8 | 61.4 | 30.3 | 20.0 | 50.3 | 33.0 | 16.8 | 49.8 | 30.0 | 9.5 | 39.5 | 39.5 | 20.0 | 59.5 | 1.93 | 2 | FAIL |
| 114 | PWTI/BTCWLE/60/114 | F | 43.5 | 25.4 | 68.9 | 30.0 | 24.4 | 54.4 | 43.6 | 23.6 | 67.2 | 37.3 | 30.2 | 67.5 | 34.7 | 22.9 | 57.6 | 34.0 | 28.0 | 62.0 | 39.3 | 20.0 | 59.3 | 2.42 | 0 | PASS |
| 115 | PWTI/BTCWLE/60/115 | M | 42.5 | 29.4 | 71.9 | 41.9 | 33.2 | 75.1 | 48.4 | 29.0 | 77.4 | 30.1 | 29.8 | 59.9 | 42.5 | 32.7 | 75.2 | 42.4 | 20.1 | 62.5 | 51.8 | 28.6 | 80.4 | 2.90 | 0 | PASS |
| 116 | PWTI/BTCWLE/60/116 | F | 34.0 | 27.6 | 61.6 | 30.3 | 33.0 | 63.3 | 30.6 | 20.0 | 50.6 | 30.9 | 20.0 | 50.9 | 30.2 | 24.2 | 54.4 | 30.7 | 16.0 | 46.7 | 41.8 | 20.0 | 61.8 | 1.88 | 1 | FAIL |
| 117 | PWTI/BTCWLE/60/117 | M | 42.0 | 26.0 | 68.0 | 30.0 | 30.8 | 60.8 | 39.2 | 25.6 | 64.8 | 30.1 | 13.3 | 43.4 | 33.1 | 12.1 | 45.2 | 30.9 | 8.4 | 39.3 | 32.5 | 20.0 | 52.5 | 1.65 | 3 | FAIL |
| 118 | PWTI/BTCWLE/60/118 | F | 35.5 | 10.0 | 45.5 | 53.1 | 20.0 | 73.1 | 34.1 | 26.9 | 61.0 | 37.2 | 30.6 | 67.8 | 39.3 | 29.8 | 69.1 | 38.1 | 20.0 | 58.1 | 37.7 | 22.0 | 59.7 | 2.28 | 1 | SUPP |
| 119 | PWTI/BTCWLE/60/119 | M | 35.0 | 27.0 | 62.0 | 34.0 | 29.4 | 63.4 | 40.7 | 26.4 | 67.1 | 39.0 | 0.0 | 39.0 | 35.5 | 0.0 | 35.5 | 36.8 | 0.0 | 36.8 | 45.1 | 0.0 | 45.4 | 1.20 | 4 | FAIL |
| 120 | PWTI/BTCWLE/60/120 | M | 43.0 | 36.0 | 79.0 | 50.6 | 20.0 | 70.6 | 45.5 | 25.0 | 70.5 | 30.9 | 24.4 | 55.3 | 44.8 | 25.8 | 70.6 | 45.8 | 13.2 | 59.0 | 45.9 | 31.2 | 77.1 | 2.77 | 1 | SUPP |
| 121 | PWTI/BTCWLE/60/121 | M | 44.5 | 22.3 | 66.8 | 49.6 | 34.0 | 83.6 | 44.9 | 21.2 | 66.1 | 30.0 | 22.4 | 52.4 | 36.2 | 25.6 | 61.8 | 31.2 | 14.4 | 45.6 | 33.9 | 20.0 | 53.9 | 2.52 | 1 | SUPP |
| 122 | PWTI/BTCWLE/60/122 | M | 42.0 | 29.8 | 71.8 | 30.0 | 34.6 | 64.6 | 48.8 | 33.3 | 82.1 | 37.0 | 30.8 | 67.8 | 40.9 | 27.6 | 68.5 | 36.3 | 23.4 | 59.7 | 42.5 | 24.8 | 67.3 | 2.85 | 0 | PASS |
| 123 | PWTI/BTCWLE/60/123 | F | 44.0 | 22.0 | 66.0 | 48.9 | 16.0 | 64.9 | 45.2 | 20.4 | 65.6 | 41.4 | 28.2 | 69.6 | 40.6 | 28.8 | 69.4 | 41.6 | 20.0 | 61.6 | 46.7 | 27.2 | 73.9 | 2.72 | 1 | SUPP |
| 124 | PWTI/BTCWLE/60/124 | F | 30.5 | 27.9 | 58.4 | 49.4 | 22.6 | 72.0 | 40.4 | 30.9 | 71.3 | 36.6 | 26.8 | 63.4 | 37.3 | 23.9 | 61.2 | 35.5 | 14.4 | 49.9 | 43.9 | 26.4 | 70.3 | 2.32 | 1 | SUPP |
| 125 | PWTI/BTCWLE/60/125 | M | 36.5 | 20.2 | 56.7 | 30.0 | 10.0 | 40.0 | 44.4 | 21.7 | 66.1 | 38.1 | 26.2 | 64.3 | 36.9 | 25.1 | 62.0 | 38.3 | 13.2 | 51.5 | 30.4 | 20.8 | 51.2 | 1.97 | 2 | FAIL |
| 126 | PWTI/BTCWLE/60/126 | F | 36.5 | 20.2 | 56.7 | 30.0 | 22.0 | 52.0 | 40.2 | 24.7 | 64.9 | 30.5 | 28.7 | 59.2 | 33.5 | 23.9 | 57.4 | 30.6 | 20.0 | 50.6 | 31.1 | 11.0 | 42.1 | 1.87 | 1 | FAIL |
| 127 | PWTI/BTCWLE/60/127 | M | 40.5 | 20.0 | 60.5 | 30.0 | 21.6 | 51.6 | 41.7 | 20.0 | 61.7 | 41.0 | 0.0 | 41.0 | 33.7 | 0.0 | 33.7 | 32.9 | 0.0 | 32.9 | 0.0 | 0.0 | 0.0 | 1.05 | 4 | FAIL |
| 128 | PWTI/BTCWLE/60/128 | M | | | | | | | | | | | | | | | | | | | | | 0.0 | 0.00 | 7 | FAIL |
| 129 | PWTI/BTCWLE/60/129 | M | 43.5 | 24.8 | 68.3 | 38.1 | 30.0 | 68.1 | 45.4 | 21.4 | 66.8 | 39.8 | 27.0 | 66.8 | 40.9 | 32.3 | 73.2 | 40.8 | 22.2 | 63.0 | 39.1 | 30.2 | 69.3 | 2.88 | 0 | PASS |
| 130 | PWTI/BTCWLE/60/130 | M | 31.5 | 27.6 | 59.1 | 30.0 | 20.6 | 50.6 | 40.9 | 30.8 | 71.7 | 31.3 | 23.5 | 54.8 | 33.9 | 20.7 | 54.6 | 35.6 | 9.5 | 45.1 | 42.4 | 20.0 | 62.4 | 2.02 | 1 | SUPP |
| 131 | PWTI/BTCWLE/60/131 | F | 38.0 | 22.5 | 60.5 | 30.0 | 20.0 | 50.0 | 46.5 | 24.2 | 70.7 | 30.4 | 24.5 | 54.9 | 32.3 | 20.0 | 52.3 | 34.9 | 10.8 | 45.7 | 37.7 | 20.0 | 57.7 | 2.02 | 1 | SUPP |
| 132 | PWTI/BTCWLE/60/132 | F | 36.5 | 26.8 | 63.3 | 53.6 | 24.0 | 77.6 | 45.7 | 24.0 | 69.7 | 30.6 | 27.4 | 58.0 | 39.6 | 23.3 | 62.9 | 30.9 | 20.2 | 51.1 | 46.9 | 28.0 | 74.9 | 2.43 | 0 | PASS |
| 133 | PWTI/BTCWLE/60/133 | M | 44.0 | 24.7 | 68.7 | 50.9 | 24.4 | 75.3 | 42.5 | 28.0 | 70.5 | 34.4 | 29.4 | 63.8 | 44.9 | 25.5 | 70.4 | 39.0 | 23.8 | 62.8 | 44.1 | 29.2 | 73.3 | 2.77 | 0 | PASS |
| 134 | PWTI/BTCWLE/60/134 | M | 41.5 | 28.3 | 69.8 | 49.7 | 20.0 | 69.7 | 38.9 | 22.8 | 61.7 | 31.4 | 20.8 | 52.2 | 37.0 | 24.7 | 61.7 | 30.4 | 20.0 | 50.4 | 37.3 | 20.2 | 57.5 | 2.33 | 0 | PASS |
| 135 | PWTI/BTCWLE/60/135 | F | 41.5 | 25.6 | 67.1 | 54.0 | 31.2 | 85.2 | 41.7 | 28.5 | 70.2 | 39.4 | 30.8 | 70.2 | 46.6 | 33.5 | 80.1 | 40.7 | 31.4 | 72.1 | 41.1 | 24.8 | 65.9 | 3.33 | 0 | SECOND CLASS |
| 136 | PWTI/BTCWLE/60/136 | M | 41.5 | 34.8 | 76.3 | 52.2 | 23.8 | 76.0 | 44.9 | 25.5 | 70.4 | 38.9 | 28.4 | 67.3 | 41.5 | 24.6 | 66.1 | 43.9 | 20.0 | 63.9 | 37.7 | 29.4 | 67.1 | 2.88 | 0 | PASS |
| 137 | PWTI/BTCWLE/60/137 | M | 42.5 | 20.0 | 62.5 | 30.0 | 23.6 | 53.6 | 49.0 | 20.0 | 69.0 | 39.4 | 30.8 | 70.2 | 42.7 | 25.7 | 68.4 | 36.9 | 21.6 | 58.5 | 43.8 | 21.0 | 64.8 | 2.42 | 0 | PASS |
| 138 | PWTI/BTCWLE/60/138 | M | 43.0 | 26.1 | 69.1 | 30.2 | 28.4 | 58.6 | 49.4 | 32.0 | 81.4 | 44.9 | 28.5 | 73.4 | 41.8 | 31.7 | 73.5 | 41.7 | 20.0 | 61.7 | 44.3 | 33.2 | 77.5 | 2.85 | 0 | PASS |
| 139 | PWTI/BTCWLE/60/139 | M | 44.0 | 28.0 | 72.0 | 53.4 | 23.2 | 76.6 | 44.2 | 28.0 | 72.2 | 49.8 | 28.0 | 77.8 | 50.1 | 28.2 | 78.3 | 38.8 | 23.4 | 62.2 | 42.5 | 21.0 | 63.5 | 2.75 | 0 | PASS |
| 140 | PWTI/BTCWLE/60/140 | M | 41.5 | 21.0 | 62.5 | 52.0 | 37.2 | 89.2 | 41.4 | 29.0 | 70.4 | 34.4 | 31.2 | 65.6 | 37.7 | 29.1 | 66.8 | 36.5 | 20.0 | 56.5 | 40.7 | 23.2 | 63.9 | 2.75 | 0 | PASS |
| 141 | PWTI/BTCWLE/60/141 | F | 48.0 | 31.4 | 79.4 | 30.0 | 20.8 | 50.8 | 34.7 | 25.0 | 59.7 | 46.8 | 28.4 | 75.2 | 48.5 | 27.9 | 76.4 | 33.8 | 24.7 | 58.5 | 40.1 | 20.8 | 60.9 | 2.45 | 0 | PASS |
| 142 | PWTI/BTCWLE/60/142 | F | 40.5 | 22.8 | 63.3 | 30.0 | 20.4 | 50.4 | 45.7 | 15.8 | 61.5 | 35.8 | 25.6 | 61.4 | 34.1 | 26.8 | 60.9 | 30.3 | 20.0 | 50.3 | 40.5 | 16.4 | 56.9 | 2.00 | 2 | SUPP |
| 143 | PWTI/BTCWLE/60/143 | M | 42.5 | 23.0 | 65.5 | 54.8 | 25.2 | 80.0 | 39.7 | 20.0 | 59.7 | 36.4 | 28.0 | 64.4 | 43.5 | 23.2 | 66.7 | 30.1 | 20.0 | 50.1 | 37.5 | 22.4 | 59.9 | 2.67 | 0 | PASS |
| 144 | PWTI/BTCWLE/60/144 | M | 39.5 | 28.2 | 67.7 | 52.9 | 26.8 | 79.7 | 41.2 | 25.2 | 66.4 | 33.3 | 31.9 | 65.2 | 45.5 | 29.2 | 74.7 | 38.7 | 20.0 | 58.7 | 42.5 | 29.6 | 72.1 | 2.88 | 0 | PASS |
| 145 | PWTI/BTCWLE/60/145 | M | 38.0 | 22.4 | 60.4 | 32.3 | 16.0 | 48.3 | 38.7 | 12.7 | 51.4 | 32.8 | 26.4 | 59.2 | 34.4 | 22.2 | 56.6 | 31.6 | 12.2 | 43.8 | 41.3 | 15.2 | 56.5 | 1.72 | 4 | FAIL |
| 146 | PWTI/BTCWLE/60/146 | F | 30.5 | 29.4 | 59.9 | 30.0 | 27.6 | 57.6 | 39.9 | 26.6 | 66.5 | 30.8 | 23.8 | 54.6 | 32.1 | 20.0 | 52.1 | 31.9 | 13.0 | 44.9 | 31.7 | 14.4 | 46.1 | 1.88 | 2 | FAIL |
| 147 | PWTI/BTCWLE/60/147 | M | 35.0 | 20.0 | 55.0 | 54.0 | 34.8 | 88.8 | 46.4 | 24.8 | 71.2 | 37.2 | 28.8 | 66.0 | 41.9 | 24.8 | 66.7 | 33.6 | 13.6 | 47.2 | 35.7 | 24.2 | 59.9 | 2.63 | 1 | SUPP |

| Module Credits: | | | 10 | | | 10 | | | 8 | | | 7 | | | 10 | | | 7 | | | 8 | | | GPA | # SUPP | GRADE |
|-----------------|--------------------|-----|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|-----------|------|-------|------|--------|------------------|
| Module Code: | | | WLT 04101 | | | WLT 04102 | | | WLT 04106 | | | WLT 04108 | | | WLT 04110 | | | WLT 04111 | | | WLT 04115 | | | | | |
| Max. Marks | | | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | CA | SE | Total | X/4 | O/1< | 1ST/2ND/3RD/FAIL |
| SN | PWTI Reg. No | Sex | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/60 | X/40 | X/100 | X/4 | O/1< | 1ST/2ND/3RD/FAIL |
| 148 | PWTI/BTCWLE/60/148 | F | 39.0 | 26.8 | 65.8 | 36.3 | 20.0 | 56.3 | 43.1 | 16.4 | 59.5 | 36.5 | 25.2 | 61.7 | 39.7 | 23.5 | 63.2 | 38.0 | 13.2 | 51.2 | 44.5 | 15.8 | 60.3 | 2.17 | 3 | SUPP |
| 149 | PWTI/BTCWLE/60/149 | M | 39.0 | 30.4 | 69.4 | 30.0 | 31.2 | 61.2 | 43.4 | 7.4 | 50.8 | 31.4 | 23.1 | 54.5 | 33.6 | 20.0 | 53.6 | 30.0 | 10.8 | 40.8 | 43.8 | 21.8 | 65.6 | 2.18 | 2 | SUPP |
| 150 | PWTI/BTCWLE/60/150 | M | 39.0 | 20.0 | 59.0 | 51.2 | 10.8 | 62.0 | 40.7 | 15.2 | 55.9 | 33.3 | 25.2 | 58.5 | 38.3 | 16.5 | 54.8 | 30.7 | 9.3 | 40.0 | 41.6 | 20.0 | 61.6 | 1.77 | 4 | FAIL |
| 151 | PWTI/BTCWLE/60/151 | M | 41.5 | 11.0 | 52.5 | 53.0 | 12.0 | 65.0 | 41.2 | 16.3 | 57.5 | 35.0 | 27.6 | 62.6 | 41.2 | 28.9 | 70.1 | 39.8 | 20.0 | 59.8 | 39.5 | 27.6 | 67.1 | 2.47 | 3 | SUPP |
| 152 | PWTI/BTCWLE/60/152 | M | 46.0 | 3.2 | 49.2 | 50.9 | 8.8 | 59.7 | 41.9 | 20.0 | 61.9 | 31.0 | 25.8 | 56.8 | 37.4 | 29.7 | 67.1 | 40.3 | 22.8 | 63.1 | 37.5 | 15.8 | 53.3 | 2.00 | 3 | SUPP |
| 153 | PWTI/BTCWLE/60/153 | M | 37.5 | 20.0 | 57.5 | 30.0 | 20.0 | 50.0 | 39.9 | 33.0 | 72.9 | 30.8 | 14.8 | 45.6 | 30.1 | 16.8 | 46.9 | 30.7 | 5.8 | 36.5 | 40.3 | 12.8 | 53.1 | 1.62 | 4 | FAIL |
| 154 | PWTI/BTCWLE/60/154 | M | 30.0 | 26.8 | 56.8 | 38.1 | 23.6 | 61.7 | 40.4 | 24.3 | 64.7 | 30.5 | 13.8 | 44.3 | 30.2 | 20.0 | 50.2 | 30.9 | 1.4 | 32.3 | 34.1 | 9.6 | 43.7 | 1.52 | 3 | FAIL |
| 155 | PWTI/BTCWLE/60/155 | M | 30.0 | 24.4 | 54.4 | 30.0 | 25.6 | 55.6 | 43.9 | 14.2 | 58.1 | 30.5 | 20.0 | 50.5 | 34.1 | 13.2 | 47.3 | 30.4 | 9.0 | 39.4 | 33.1 | 5.8 | 38.9 | 1.33 | 4 | FAIL |
| 156 | PWTI/BTCWLE/60/156 | M | 43.0 | 10.6 | 53.6 | 43.0 | 15.6 | 58.6 | 45.4 | 26.8 | 72.2 | 33.5 | 24.7 | 58.2 | 34.8 | 21.2 | 56.0 | 33.0 | 11.6 | 44.6 | 33.1 | 20.0 | 53.1 | 2.02 | 3 | SUPP |
| 157 | PWTI/BTCWLE/60/157 | M | 40.0 | 15.7 | 55.7 | 38.9 | 23.2 | 62.1 | 45.9 | 30.0 | 75.9 | 42.5 | 31.4 | 73.9 | 48.5 | 29.1 | 77.6 | 39.3 | 16.5 | 55.8 | 41.1 | 21.8 | 62.9 | 2.42 | 2 | SUPP |
| 158 | PWTI/BTCWLE/60/158 | M | 43.0 | 21.8 | 64.8 | 50.6 | 31.6 | 82.2 | 45.9 | 25.8 | 71.7 | 40.0 | 29.1 | 69.1 | 45.5 | 28.0 | 73.5 | 40.8 | 27.8 | 68.6 | 37.9 | 32.6 | 70.5 | 3.00 | 0 | SECOND CLASS |
| 159 | PWTI/BTCWLE/60/159 | F | 33.5 | 32.8 | 66.3 | 55.5 | 20.4 | 75.9 | 37.4 | 12.4 | 49.8 | 40.4 | 34.2 | 74.6 | 43.8 | 26.0 | 69.8 | 37.3 | 22.6 | 59.9 | 44.1 | 32.2 | 76.3 | 2.62 | 1 | SUPP |
| 160 | PWTI/BTCWLE/60/160 | F | 42.5 | 15.4 | 57.9 | 50.3 | 24.8 | 75.1 | 30.6 | 23.6 | 54.2 | 41.9 | 31.8 | 73.7 | 42.7 | 27.9 | 70.6 | 31.8 | 21.4 | 53.2 | 42.1 | 21.2 | 63.3 | 2.45 | 1 | SUPP |
| 161 | PWTI/BTCWLE/60/161 | M | 44.0 | 27.2 | 71.2 | 34.2 | 29.4 | 63.6 | 39.1 | 29.4 | 68.5 | 39.1 | 25.6 | 64.7 | 48.8 | 33.8 | 82.6 | 43.6 | 20.0 | 63.6 | 43.5 | 21.6 | 65.1 | 2.77 | 0 | PASS |
| 162 | PWTI/BTCWLE/60/162 | M | 42.5 | 32.2 | 74.7 | 53.9 | 20.0 | 73.9 | 44.9 | 20.0 | 64.9 | 34.4 | 28.0 | 62.4 | 40.1 | 26.7 | 66.8 | 37.2 | 25.2 | 62.4 | 36.9 | 20.0 | 56.9 | 2.50 | 0 | PASS |
| 163 | PWTI/BTCWLE/60/163 | F | 30.0 | 12.9 | 42.9 | 39.6 | 7.2 | 46.8 | 31.4 | 26.9 | 58.3 | 31.3 | 24.6 | 55.9 | 36.5 | 20.0 | 56.5 | 30.1 | 10.8 | 40.9 | 32.1 | 12.2 | 44.3 | 1.42 | 4 | FAIL |
| 164 | PWTI/BTCWLE/60/164 | M | 37.0 | 20.4 | 57.4 | 55.3 | 31.8 | 87.1 | 30.8 | 27.4 | 58.2 | 40.4 | 26.6 | 67.0 | 42.9 | 29.6 | 72.5 | 37.0 | 12.3 | 49.3 | 39.3 | 22.4 | 61.7 | 2.50 | 1 | SUPP |
| 165 | PWTI/BTCWLE/60/165 | F | 41.5 | 27.8 | 69.3 | 30.0 | 32.2 | 62.2 | 41.9 | 31.8 | 73.7 | 38.1 | 29.6 | 67.7 | 40.8 | 28.2 | 69.0 | 35.3 | 16.8 | 52.1 | 33.9 | 23.2 | 57.1 | 2.58 | 1 | SUPP |
| 166 | PWTI/BTCWLE/60/166 | M | 43.0 | 26.9 | 69.9 | 48.8 | 16.4 | 65.2 | 43.4 | 14.0 | 57.4 | 37.8 | 31.8 | 69.6 | 43.9 | 28.8 | 72.7 | 42.8 | 23.2 | 66.0 | 39.7 | 26.2 | 65.9 | 2.87 | 2 | SUPP |
| 167 | PWTI/BTCWLE/60/167 | M | 43.0 | 22.6 | 65.6 | 39.5 | 33.4 | 72.9 | 30.7 | 21.9 | 52.6 | 15.4 | 0.0 | 15.4 | 31.2 | 2.7 | 33.9 | 30.0 | 4.2 | 34.2 | 0.0 | 4.2 | 4.2 | 1.27 | 4 | FAIL |
| 168 | PWTI/BTCWLE/60/168 | M | 36.5 | 25.4 | 61.9 | 36.1 | 28.0 | 64.1 | 42.2 | 26.4 | 68.6 | 30.5 | 20.9 | 51.4 | 40.8 | 15.7 | 56.5 | 33.9 | 10.1 | 44.0 | 41.9 | 13.4 | 55.3 | 2.02 | 3 | SUPP |
| 169 | PWTI/BTCWLE/60/169 | M | 41.5 | 20.0 | 61.5 | 52.1 | 24.4 | 76.5 | 44.1 | 23.9 | 68.0 | 40.5 | 23.3 | 63.8 | 44.4 | 27.7 | 72.1 | 31.0 | 15.0 | 46.0 | 37.7 | 21.6 | 59.3 | 2.35 | 1 | SUPP |
| 170 | PWTI/BTCWLE/60/170 | M | 38.5 | 27.4 | 65.9 | 50.6 | 26.8 | 77.4 | 52.8 | 30.0 | 82.8 | 37.4 | 28.0 | 65.4 | 38.0 | 30.0 | 68.0 | 45.7 | 27.8 | 73.5 | 37.1 | 31.6 | 68.7 | 3.13 | 0 | SECOND CLASS |
| 171 | PWTI/BTCWLE/60/171 | M | 30.0 | 26.6 | 56.6 | 30.0 | 20.0 | 50.0 | 33.6 | 14.2 | 47.8 | 30.0 | 15.3 | 45.3 | 30.0 | 12.8 | 42.8 | 30.0 | 6.8 | 36.8 | 32.1 | 13.6 | 45.7 | 1.22 | 5 | FAIL |
| 172 | PWTI/BTCWLE/60/172 | M | 39.0 | 25.6 | 64.6 | 50.3 | 28.4 | 78.7 | 41.1 | 27.2 | 68.3 | 37.5 | 29.4 | 66.9 | 30.7 | 20.4 | 51.1 | 32.0 | 20.0 | 52.0 | 41.9 | 27.4 | 69.3 | 2.55 | 0 | PASS |
| 173 | PWTI/BTCWLE/60/173 | F | 39.0 | 26.8 | 65.8 | 30.0 | 31.6 | 61.6 | 41.7 | 29.0 | 70.7 | 33.8 | 24.7 | 58.5 | 30.8 | 24.4 | 55.2 | 30.2 | 15.6 | 45.8 | 41.1 | 25.6 | 66.7 | 2.32 | 1 | SUPP |
| 174 | PWTI/BTCWLE/60/174 | F | 39.5 | 20.0 | 59.5 | 30.0 | 20.0 | 50.0 | 34.9 | 20.6 | 55.5 | 31.0 | 25.3 | 56.3 | 30.1 | 23.4 | 53.5 | 32.3 | 14.8 | 47.1 | 41.6 | 20.0 | 61.6 | 1.88 | 1 | FAIL |
| 175 | PWTI/BTCWLE/60/175 | F | 30.0 | 26.0 | 56.0 | 30.0 | 26.8 | 56.8 | 42.6 | 0.0 | 42.6 | 31.2 | 21.8 | 53.0 | 30.2 | 20.0 | 50.2 | 30.0 | 20.0 | 50.0 | 35.5 | 16.8 | 52.3 | 1.87 | 2 | FAIL |
| 176 | PWTI/BTCWLE/60/176 | M | 38.5 | 24.6 | 63.1 | 54.8 | 20.0 | 74.8 | 45.8 | 14.8 | 60.6 | 40.3 | 30.0 | 70.3 | 30.3 | 25.5 | 55.8 | 38.4 | 20.0 | 58.4 | 37.3 | 25.2 | 62.5 | 2.28 | 1 | SUPP |